


FIBRE GLASS READYMADE (FRP) SWIMMING POOLS CATALOGUE FOR THE YEAR 2023






Roof top swimming pool at Pondicherry Hotel .

READYMADE SWIMMING POOLS - Fixed Size & Designs












- These are single piece fiberglass swimming pool with light weight and strong structure.
- We are building these pool since 2008 and had installed maximum no's of pool all over India and exported to other countries as well.
- We have maximum number of design and size in this category.
- These pool are maintenance free once you fill the same water can be used for 2-3 years.
- There is no water wastage in these pool and no fresh water is required.
- · We are giving 12 years warrantee for structure.
- These pools do not need any side support or wall around the pool.
- For above ground installation only pool deck wall support is needed as these pools are strong enough to hold the water weight.
- For below ground the wall can withstand within soil pressure.
- Same type of pools can be endless, infinity and aquatic therapy pools



READYMADE SWIMMING POOLS



READYMADE SWIMMING POOLS: - FIBERGLASS MADE SWIMMING POOLS.

'Readymade' as name suggested are made in factory & transported to the client place.

These pools have following features: -

- 1 Single Piece Pool No Seepage or Leakage
- 2 Fixed Size & Design- 12 No. of Designs & 30 No. of Sizes.
- 3 No Wear and Tear-12 Years of Structural Warranty.
- 4 Low Maintenance: very low maintenance cost around Rs. 100-200/daily.
- 5 No water wastage- 25 micro cartridge filter with 0% water/chlorine wastage.
- 6 Low electricity consumption- Max 1-2 Kw of electricity consumption for water filter.

Added features: -

- 1. Metallic color of pools
- 2. Multi-color pools
- 3. Multi-functional-single pools can have kids pool, spa, water fall and adult pool.
- Endless pool & swimming with counter current propeller system & speed control for water flow control.

- Jacuzzi massage jet for massages.
- Hydrotherapy pool with added features. Lift, under water cycle etc.
- Under water exercise/Gym with under water cycle treadmill & walkers.
- 8. Water fall & water feature statues.

Our pools are safe for users

- 1. Under water lights- LED with step down transformer.
- 2. Plastic pump with small motors no earth leakage.
- 3. Counters current with shaft & no direct connection.
- 4. Proper size bar for holding & floor of pools.
- 5. No faints and sharp edge in our pools.
- Strong & sustainable (all pool are test at factory) for independent standing with water filled in them for above ground installation.
- 7. Anti skid steps & floor of Readymade Swimming Pool.
- 8. Pool cover for low maintenance & make it safe.



WHY FIBREGLASS POOLS?



QUICK AS A SPLASH

Arrives as ready to install within 7 day's campare to other kind of pool. It is much faster and durable.

LOOKING GOOD

Pools features a super soft high gloss surface in a fantastic range of vibrant shimmer and royal colours. This ultra-hard wearing surface is non-porous, stain and chemical resistant and of course is so easy to maintain and clean.

STRONG & DURABLE

Arrdev Pools fiberglass pool shells exceed all Indian and world-wide standard for thickness. This means that your pool is strong and durable, yet being made of fibreglass, can flex to accommodate at most earth movement.




POOL RANGE

Development and expansion of our modern shapes and sizes is constant so that our range of pools is second to none. With an 12000 sqm facility dedicated to new pool development ensures that you will have a choice of the very latest designs and features to suit your lifestyle.

COLOUR RANGE

Boasting six shimmer colours combined with three royal colours you can be assured we have a colour to suit your lifestyle decore. Arrdev Pools pride themselves in only using a marine grade gelcoat (ISO NPG.), ensuring the surface in the contact with pool water is the very best.



WARRANTY: Arrdev Pools offer a 12 year structural warranty with their pool shells. There is also an internal warranty which meets SPA Guidelines and INDIAN Standards.

READYMADE HOT TUB / SPA POOLS

SPA POOLS:

SPA can be worked as an expansion to your pool or they can go about as remain solitary units. Tanning Ledges can be utilized in your terrace configuration to make fun sprinkle territories or additional areas to relax and unwind, as water-accommodating yard furniture can be put inside the edge. Spas and Tanning Ledges can be introduced flush with your pool or raised so they overflow into the pool. Models that have worked in overflows function admirably when you need to fuse a spa or edge raised and overflowing into the pool, while non-overflow models function admirably for remain solitary or isolated waterways. Models that have a worked in overflow will utilize normal water with the pool; non-overflow models can utilize either basic water or separate water, which enables the spa or edge to be warmed at an unexpected temperature in comparison to the pool.



OX-SPA (Overflow, transparent, spa)

Ox-Spa is a French design spa of size 8.6ft*6ft*3.3ft all above ground. This have overflow system in which water overflow within a transparent glass wall chamber before going to filter. Two glass wall make this as transparent spa with color full light, it give aesthetic view all around.

Four to five person can sit or lay in this spa.

Size-8.6x6x3.3 ft

Capacity of water 2000ltr

Over flow glass wall over flow


MOC-fibre glass

Sitting - 4 persons.

Same water - entire year.

Heat pump - heating (optional)

Deck WPC (optional)





READYMADE HOT TUB/SPA POOL

DIMENSIONS OF HOT TUB X SPA POOL:(1.83X1.22X0.46)MTRS/(6X4X1.5)FT





HOT TUB SPA X-ACTUAL IMAGE



BATH TUB AND JACUZZI





5 feet diameter bath tub for 2 person

ROUND BATH TUB

Size - 5 feet diameter

Depth - 1.5 feet

Jacuzzi - 6 jets

LED -1 light

Motor - 1 HP 0.7 kw

2 Person use



4x6 feet rectangular bath tub for 2 person

RECTANGULAR BATH TUB

Size - 4X6X1.5 feet

MOC - Fibre glass

Frame - Mild steel

Jacuzzi - 1 HP motor with 6 jet

Control - P

Motor - 1 HP 0.7 kw

2 Person use

ROUND BATH TUB

Size - 6 feet diameter

Jacuzzi - 12 jet

Pump - 2 Nos

LED - 2 Nos.

Frame - Mild Steel

4 Person use

6 feet diameter bath tub for 6 person

FLOWER SHAPE JACUZZI TUB


DIA OF FLOWER SHAPE JACQUIZI:(1.83)MTRS/(6)FT WITH THE DEPTH OF 0.45MTRS/1.5 FT

- ♦ 6 FT DIAMETER
- ❖ 6 PERSONS SEATING CAPACITY
- ❖ TWO SETS OF JACQUIZI JETS (TOTAL NO OF JETS:12 NO.S)
- CAPACITY OF WATER: 300 LITRES



FLOWER SHAPE JACUZZI ACTUAL IMAGE

FLOWER SHAPE JACUZZI LAYOUT








FLOWER SHAPE JACUZZI TUB

DIA OF FLOWER SHAPE JACUZZI:(1.53)MTRS/(5)FT WITH THE DEPTH OF 0.5MTRS/1.5 FT



- ❖ 5 FT DIAMETER
- 2 PERSONS SEATING CAPACITY
- ONE SET OF JACQUIZI JETS (TOTAL NO OF JETS:6 NO.S)
- ❖ LED LIGHT: 1 NO.S
- ❖ MOTOR: 1 HP 0.7 KW
- MOC: FIBREGLASS
- ❖ FRAME: MILD STEEL
- ❖ HEAD REST WITH 2 NO.S SEATER






OVERLFOW SPA TUB JACUZZI AND BUBBLER

DIMENSIONS OF OVERFLOW SPA POOL:(2.43X2.13X0.46)MTRS/(8X7X1.5)FT

- ❖ 8X7X 2.5 FEET OVERFLOW SPA WITH 2 JACUZZI JETS
- SEATING CAPACITY: 4-6
- WITH bag FILTER
- ❖ SAME WATER FOR ENTIRE YEAR
- ❖ NO WATER WASTAGE led LIGHT









RECTANGULAR BATH TUB JACUZZI

DIMENSIONS OF RECTANGULAR BATH TUB JACQUIZI:(1.83X1.22X0.46)MTRS/(6X4X1.5)FT





MOC: FIBREGLASSFRAME: MILD STEEL

❖ JACQUIZI: 1 HP MOTOR WITH 6 NO.S JET

CONTROL-P


MOTOR: 1HP 0.7KW

❖ 50% COVERING

❖ WATER FEED HOT TAP HOT AND COLD WATER

❖ 1 NO.S LED LIGHT

❖ 2 HEAR REST AND 2 SEATER






FRP PLUNGE POOL

DIMENSIONS OF FRP PLUNGE POOL:(2.14X1.755X0.765)MTRS/(7X5.75X2.5)FT



- MOC: FIBREGLASSFRAME: MILD STEELMOTOR: 1HP 0.7KW
- ❖ 1 NO.S LED LIGHT❖ FILTER
- ❖ SKIMMER
- ❖ JETS 2 NO.S





READYMADE SWIMMING POOLS - SWIM SPA POOLS

Hot Tub- Spa:- (12x6.5x3.5ft)



Seating in jacuzzi, getting massage with hot cold water and relaxed your body.

This is small size 12x6.5x3.5 ft pool which is easy to transport & install on roof top of basements.

6 person can sit in it & water filter make water cleaner through out of year.

Size 12x6.5x3.5ft

Seating - 6 seaters


Water filter 25

Pump - jacuzzi jet 1.5Hp-2nos

Air blower- 1 set 12 jet

Water Heater & Chiller 2Kw (optional)

Water Capacity - 5000 litres










READYMADE SWIM SPA

DIMENSIONS OF READYMADE SWIM SPA: (3.66X1.99X1.065)MTRS/(12X6.5X3.5)FT



- ❖ SEATING CAPACITY: 6 SEATERS
- WATER FILTER: 25
- ❖ PUMP-JACUZZI JET 1.5 HP 2NO.S
- ❖ AIR BLOWERS: 1 SET (12 NO.S JET)
- ❖ WATER HEATER AND CHILLER 2KW (OPTIONAL)
- ❖ WATER CAPACITY: 5000 LITRES





READYMADE SWIMMING POOL - SPA TUB

D-SPA:

A Hot Tub is an enormous tub or little pool loaded with warmed water and can be utilized for hydrotherapy. Hot tubs are in some cases otherwise called spas, or by the exchange name Jacuzzi.


12 x6x3 ft (3000 litres)


D-shaped spa for sitting for 8 no's of persons at one time.

This D-shaped spa with steps and seats.

3 ft deep with 1.5 ft seat with reclined back.

It enhance beauty of your home.






D-SPA TUB

DIMENSIONS OF READYMADE D-SPA TUB:(3.66X1.54X0.915)MTRS/(12X5X3)FT

- SEATING CAPACITY: 8 NO.S OF PERSONS AT ONE TIME
- D-SHAPED SPA WITH STEPS AND SEATS
- ❖ 3 FT DEEP WITH 1.5FT SEAT WITH RECLINED BACK
- ❖ WATER CAPACITY: 3000 LITRES





1 BEAN SHAPED SWIMMING POOLS - CURVY DESIGN





Functional Design

Another reason kidney/Bean pools have endured is that the design simply works. The bend in a kidney/bean shaped pool serves as a clear division between two ends. However, because the curve is slight, a kidney pool still allows for lap swimming, diving, and other activities which are possible in any other design of swimming pool.

As mentioned, the indentation or "bump" on the pool deck is an obvious place to put landscaping or other decorative touches. On the practical side, it can also be a place for seating, a pool ladder, an anchored umbrella, or even an inground spa. Whatever you put in this spot will be easily accessible.

Size of Pool: 24ft x 11ft x 4ft (25000 litres)

Steps:3 steps

Sitting: 1seat for 3 persons

Filter: Cartridge filter


Lights: LED lights

Over flow: Skimmer

Endless system (optional Step Bar, Jacuzzi, Heater, Counter

Current





BEAN SHAPED SWIMMING POOLS-CURVY DESIGN

DIMENSIONS OF BEAN SHAPED SWIMMING POOL:(7.32X3.355X1.22)MTRS/24X11X4)FT



❖ 1 NO.S SEAT FOR 3 PERSONS


❖ FILTER: CARTRIDGE FILTER

❖ WATER CAPACITY: 25000 LITRES

OVERFLOW:SKIMMER

ENDLESS SYSTEM (OPTIONAL STEP BAR, JACQUZI, HEATER, COUNTER CURRENT)








OLIVE SWIMMING POOL-ALL IN ONE FAMILY POOL

DIMENSIONS OF OLIVE SWIMMING POOL:(6.41X3.355X1.525)MTRS/21X11X5)FT



- ❖ THIS POOL IS HAVE ONE PORTION OF KIDS POOL WITH DEPTH OF 2 FT DEEP.
- ❖ MAIN POOL WITH DEPTH OF 4.5 FT
- ❖ SPA POOL OF 5 FEET INTERNAL DIA WITH DEPTH OF 2.5FT
- WATER FALL FROM SPA POOL TO MAIN SWIMMING POOL.
- ❖ INBUILT STEPS FROM TOP TO KIDS POOL AND TO MAIN POOL.
- FILTER, LIGHTS, JACQUIZI AND CLEANING EQUIPMENTS ARE COMPANY FITTED.
- ❖ WATER CAPACITY:20000 LITRES







3 OCTO MODEL SWIMMING POOLS

- This model is one of the most popular model & oldest. This is all in one compact swimming pool.
- This pool have 5 feet sitting space on both sides.
- Octo pool can be added with jaccuzi and endless counter current system too.
- Size of pool: 8x 22 x 4 feet
- Volume of water: 15000 liters
- Filtration System
- Floating Pool Cover.





3b CONTAIN MODEL SWIMMING POOLS



Contain Model Pool

size: 17x7.5x4 ft

Steps in this pool is just 1.5 ft wide.

Filtration system.


Under water lights.

OCTO MINI MODEL SWIMMING POOLS

DIMENSIONS OF OCTO MINI SWIMMING POOL (5.185X2.25X1.22)MTRS/(17X7.5X4)FT

- ❖ THE SIZE OF THE OCTOM SHAPE SWIMMING POOL TYPE-1 IS 17X7.5X4FT
- STEPS IN THIS POOL IS JUST 1.5FT WIDE
- ❖ FILTRATION SYSTEM
- **❖** UNDER WATER LIGHTS








OCTOBER MODEL SWIMMING POOL

DIMENSIONS OF OCTOBER SWIMMING POOL :(6.72X2.44X1.22)MTRS/(22X8X4)FT THIS MODEL IS ONE OF THE MOST POPULAR MODEL & OLDEST.

rrdev pools Every home deserves a pool

- THIS IS ALL IN ONE COMPACT SWIMMING POOL.
- THIS POOL HAVE 5FT SEATING SPACE ON BOTH SIDES.
- OCTO MODEL CAN BE ADDED WITH JACQUIZI & ENDLESS COUNTER CURRENT SYSTEM TOO.
- WATER CAPACITY: 15000 LITRES
- FILTRATION SYSTEM
- SIZE OF POOL: 22X8X4FT






SHIPPING CONTAINER SWIMMING POOLS

DIMENSIONS OF CONTAINER SWIMMING POOL:(6X2.4X1.23)MTRS/ 20X8X4.5FT(17X7.5X4)FTPOOL

- ❖ THIS CONTAINER POOL IS ONE OF THE UNIQUE POOL WITH MAXIMUM SWIMMING SPACE & MINIMUM STEPS SPACE.
- ❖ THIS POOL IS BEING FITTED IN SHIPPING CONTAINER OF 20FT LONG OUT OF THIS & 3FT IS TAKEN AS POOL DECK AND STEPS TO REACH ON THE DECK.
- ❖ THE SPACE BELOW DECK IS BEING USED FOR FILTRATION SYSTEM.
- ❖ IT IS READY TO USE POOLS & COMES IN ONE PACKAGE.POOL DECK, FILTRATION SYSTEM, SIDE AND BOTTOM SUPPORTS ALONG WITH SAFETY GRILLS.
- SIZE OF SWIMMING POOL: 17X7.5X4FT
- CONTAINER POOL: 20X8X4.5FT
- WATER CAPACITY: 10000 LITRES







4. CONTAINER SWIMMING POOLS - READY TO USE



- This container pool is one of the unique pool with maximum swimming space and minimum steps space.
- This pool is being fitted in shipping container of 20 feet long out of this 3 feet is taken as pool deck and steps to reach on the deck.
- The space below deck is being used for filtration system.
- It is ready to use pools and comes in one package. Pool deck, Filtration system, Side and bottom supports along with safety grills.

Size of swimming pool: 7.5 x 17 x 4 feet

Container pool: 20x 8x4.5 feet





5. ROMAN SHAPED SWIMMING POOLS





 This design called Roman shaped as one side is half round with three steps which are anti skid can be use for sitting and jacuzzi.

 The 5 feet length for 3 steps in semi circular shaped.

- Depth of pool is 4.5 feet 1350 mm.
- Width is fixed with 2.25meter or 7.5 feet external.
- The length vary from 16, 21, 26 feet.

Roman style pool designs are based on the classic rectangles with a specific end, referred to as Roman pool end. While Grecian pools are characterized with cut corners, the Roman ones are recognizable for the stylized corners and a half circle on each end of the pool.


Size of pools: 16x7.5x4.5 ft, 21x7.5x4.5 ft, 26x7.5x4.5 ft

Filter, Lights & Cleaning Activities.

Optional Item: Steel bars, endless counter, current system, pool cover, heat pump jaccuzi jet etc.

Volume of water: 12000 litres / 15000 litres / 18000 litres.






ROMAN SHAPED SWIMMING POOLS

- ❖ THIS DESIGN IS CALLED ROMAN SHAPED AS ONE SIDE IS HALF ROUND WITH THREE STEPS
- ❖ WHICH ARE ANTI SKID CAN BE USE FOR SEATING AND JACQUIZI.
- ❖ 5FT LENGTH FOR THREE SEMI CIRCULAR STEPS & DEPTH OF POOL IS 4.5FT (1.35MTRS)
- ❖ THE LENGTH VARIES FROM 16,21,26FT & THE WIDTH IS FIXED WITH 2.1MTRS (7FT) EXTERNAL.
- SIZE OF POOLS ARE: 15 X 7 X 4.5FT, 21X7X4.5FT ,26X7X4.5FT
- FILTER, LED LIGHTS & CLEANING ACCESSORIES.
- ❖ OPTIONAL ITEMS: STEEL BARS, ENDLESS COUNTER, CURRENT SYSTEM, POOL COVER, HEAT PUMP, JACQUIZI JETS, ETC.
- WATER CAPACITY:12000 LITRES/15000 LITRES/18000 LITRES.









COBRA FOUNTAIN IN ROMAN POOL 15X7X4.5FEET





Endless machine ROMAN POOL 15X7X4.5FEET



6. PLUNGE SWIMMING POOLS

Plunge pools are small, cold-water pools that have been used for thousands of years in medicine and were also popular with the Ancient Romans. Many swimmers and athletes like to plunge into a pool of cold water after a heated workout or sauna or spa session, believing it has therapeutic benefits.

Plunge pools can be separate or attached to a larger in-ground pool.





- These are rectangular swimming pools. No steps or any design inside and entire pool is for swimming.
- The depth of these pools are 1350mm /4.5 feet.
- These are very good for small places.
- The counter current machine make these as endless swimming pools.

Size of pools: 12.5 x 7.5 x 4.5 feet (9000 litres)

17.5 x 7.5 x 4.5 feet (13000 litres)


22.5 x 7.5 x 4.5 feet (17000 litres)

PLUNGE SWIMMING POOLS



- ❖ THESE ARE RECTANGULAR SWIMMING POOLS.NO STEPS OR ANYDESIGN INSIDE AND ENTIRE POOL IS FOR SWIMMING.
- THE DEPTH OF THESE POOL ARE 1350MM/4.5FT.
- THESE ARE VERY GOOD FOR SMALL PLACES.
- ❖ THE COUNTER CURRENT MACHINE MAKE THESE AS ENDLESS SWIMMING POOLS.
- ❖ THE SIZE OF POOLS ARE AS FOLLOWS:12.5X7X4.5FT (WATER CAPACITY:9000 LITRES),17.5X7X4.5FT (WATER CAPACITY:13000 LITRES),22.5X7X4.5FT (WATER CAPACITY:17000 LITRES)







PLUNGE SWIMMING POOLS



- ❖ THESE ARE RECTANGULAR SWIMMING POOLS.NO STEPS OR ANYDESIGN INSIDE AND ENTIRE POOL IS FOR SWIMMING.
- THE DEPTH OF THESE POOL ARE 1350MM/4.5FT.
- THESE ARE VERY GOOD FOR SMALL PLACES.
- ❖ THE COUNTER CURRENT MACHINE MAKE THESE AS ENDLESS SWIMMING POOLS.
- ❖ THE SIZE OF POOLS ARE AS FOLLOWS:12.5X7X4.5FT (WATER CAPACITY:9000 LITRES),
- 17.5X7X4.5FT (WATER CAPACITY:13000 LITRES),22.5X7X4.5FT (WATER CAPACITY:17000 LITRES)






PLUNGE SWIMMING POOLS








7. STEPWELL SWIMMING POOL

- Steps well pool is having steps into pool with small size of pool.
- 3 x 2 x 1.2 meter / 9.6x6.6x4 feet (5000 litres).
- These can be placed any where and self standing pools.
- Filter and lights are provided. Wall panels can be erected.
- In this size aquatic theraphy pools are most popular because of its depth all aqua bike, aqua tread mill and aqua steppers can be placed. The heating / chilling is economical because of their small size and suitable shapes.












STEPWELL SWIMMING POOLS

- STEPSWELL POOLS IS HAVING STEPS INTO POOL WITH SMALL SIZE OF POOL.
- SIZE OF STEPWELL POOL IS 3X2X1.2MTRS/9.6X6.5X4FT.
- WATER CAPACITY:5000 LITRES.
- ❖ THESE CAN BE PLACED ANYWHERE AND SELF STANDING POOLS.
- ❖ FILTER & LIGHTS ARE PROVIDED. WALL PANELS CAN BE ERRECTED.
- ❖ IN THIS SIZE AQUATIC THERAPY POOLS ARE MOST POPULAR BECAUSE OF ITS DEPTH
- .ALL AQUA BIKE,AQUA TREAD MILL,AQUA STEPPERS CAN BE PLACED .
- THE HEATING/CHILLING IS ECONOMICAL BECAUSE OF THEIR SMALL SIZE AND SUITABLE SHAPES.










SWIM SPA SWIMMING POOLS

- ❖ RECTANGULAR PLUNGE POOL WITH FILTER, CIRCULATION PUMP, SKIMMER & JETS NOZZLES.
- ❖ LED UNDER WATER LIGHTS.IN ADDITION TWO JACQUIZI SEATS AND COUNTER CURRENT SYSTEM IN IT.









SWIM SPA SWIMMING POOL

- RECTANGULAR PLUNGE POOL WITH FILTER, CIRCULATION PUMP, SKIMMER & JETS NOZZLES.
- LED UNDER WATER LIGHTS.IN ADDITION TWO JACQUIZI SEATS AND COUNTER CURRENT SYSTEM IN IT.
- THE SIZES OF SWIM SPA POOLS ARE AS FOLLOWS: 12X7X4.5FT/15X7X4.5FT/20X7X4.5FT/25X7X4.5FT









SWIM SPA POOLS

- ❖ RECTANGULAR PLUNGE POOL WITH FILTER, CIRCULATION PUMP, SKIMMER & JETS NOZZLES.
- ❖ LED UNDER WATER LIGHTS.IN ADDITION TWO JACQUIZI SEATS AND COUNTER CURRENT SYSTEM IN IT.
- ❖ THE SIZES OF SWIM SPA POOLS ARE AS FOLLOWS: 12X7X4.5FT/15X7X4.5FT/20X7X4.5FT/25X7X4.5FT









SWIM SPA POOLS

- ❖ RECTANGULAR PLUNGE POOL WITH FILTER.CIRCULATION PUMP.SKIMMER & JETS NOZZLES.
- ❖ LED UNDER WATER LIGHTS.IN ADDITION TWO JACQUIZI SEATS AND COUNTER CURRENT SYSTEM IN IT.
- ❖ THE SIZES OF SWIM SPA POOLS ARE AS FOLLOWS: 12X7X4.5FT/15X7X4.5FT/20X7X4.5FT/25X7X4.5FT







SWIM SPA DUAL SEATS WITH STEPS









Most of the early residential swimming pools were created in the classic rectangular form, which was aesthetically pleasing and also practical. As a source of exercise, the long, straight lines of a rectinlinear pool made sense for pool owners who wanted to swim laps. Reflection pools have also traditionally been rectilinear or rectangular in shape.



- As name suggest that the rectangular pools are having long length than width.
- Three inbuilt steps are available in every swimming pool.
- The depth of all pools are same and width or length can be altered as per customer requirement.

Size of standard pools:

19.5 x 9.5 x 4 feet (16000 litres)

25 x 9.5 x 4 feet (22000 litres)

31 x 9.5 x 4 feet (28000 litres)

Width customized pools:

19.5 x 12 x 4 feet (22000 litres)

25 X 12 x 4 feet (28000 litres)

31 x 12 x 4 feet (36000 litres)

Water filtration plant with 25 micron filter for best quality water.

Endless counter current swimming system.

Heating & Chilling system for pools.

Hand bail, Jacuzzi jet etc optional.





rrdev pools Every home deserves a pool

- ❖ THE RECTANGULAR POOLS HAVING LONG LENGTH THAN WIDTH.
- ❖ THREE INBUILT STEPS ARE AVAILABLE IN EVERY SWIMMING POOL.
- THE DEPTH OF ALL POOLS ARE SAME AND WIDTH OR LENGTH CAN BE ALTERED AS PER CUSTOMER REQUIREMENTS.
- ❖ THE SIZES OF STANDARD POOLS ARE AS FOLLOWS:
- ➤ 19.5X9.5X4FT (WATER CAPACITY:16000 LITRES)
- 25X9.5X4FT (WATER CAPACITY: 22000 LITRES)
- 31X9.5X4FT (WATER CAPACITY: 28000 LITRES)


- ❖ THE SIZES OF POOLS WHICH HAVE CUSTOMISED WIDTHS ARE AS FOLLOWS:
- ➤ 19.5X12X4FT (WATER CAPACITY:22000 LITRES)
- 25X12X4FT (WATER CAPACITY: 28000 LITRES)
- ➤ 31X12X4FT (WATER CAPACITY: 36000 LITRES


- ❖ WATER FILTRATION PLANT WITH 25 MICRON FILTER FOR BEST QUALITY WATER.
- ❖ ENDLESS COUNTER CURRENT SWIMMING SYSTEM.
- ❖ HEATING & CHILLING CAPACITY FOR POOLS.
- ❖ HAND BAIL, JACQUZI JETS, ETC. ARE OPTIONAL ITEMS.








































- ❖ THE RECTANGULAR POOLS HAVING LONG LENGTH THAN WIDTH.
- THREE INBUILT STEPS ARE AVAILABLE IN EVERY SWIMMING POOL.
- THE DEPTH OF ALL POOLS ARE SAME AND WIDTH OR LENGTH CAN BE ALTERED AS PER CUSTOMER REQUIREMENTS.
- ❖ THE SIZES OF STANDARD POOLS ARE AS FOLLOWS:
- ➤ 19.5X9.5X4FT (WATER CAPACITY:16000 LITRES)
- 25X9.5X4FT (WATER CAPACITY: 22000 LITRES)
- 31X9.5X4FT (WATER CAPACITY: 28000 LITRES)
- ❖ THE SIZES OF POOLS WHICH HAVE CUSTOMISED WIDTHS ARE AS FOLLOWS:
- ➤ 19.5X12X4FT (WATER CAPACITY:22000 LITRES)
- ➤ 25X12X4FT (WATER CAPACITY: 28000 LITRES)
- ➤ 31X12X4FT (WATER CAPACITY: 36000 LITRES
- ❖ WATER FILTRATION PLANT WITH 25 MICRON FILTER FOR BEST QUALITY WATER.
- ENDLESS COUNTER CURRENT SWIMMING SYSTEM.
- ❖ HEATING & CHILLING CAPACITY FOR POOLS.
- HAND BAIL, JACQUZI JETS, ETC. ARE OPTIONAL ITEMS.






- THE RECTANGULAR POOLS HAVING LONG LENGTH THAN WIDTH.
- ❖ THREE INBUILT STEPS ARE AVAILABLE IN EVERY SWIMMING POOL.
- ❖ THE DEPTH OF ALL POOLS ARE SAME AND WIDTH OR LENGTH CAN BE ALTERED AS PER CUSTOMER REQUIREMENTS.
- ❖ THE SIZES OF STANDARD POOLS ARE AS FOLLOWS:
- ➤ 19.5X9.5X4FT (WATER CAPACITY:16000 LITRES)
- 25X9.5X4FT (WATER CAPACITY: 22000 LITRES)
- ➤ 31X9.5X4FT (WATER CAPACITY: 28000 LITRES)
- ❖ THE SIZES OF POOLS WHICH HAVE CUSTOMISED WIDTHS ARE AS FOLLOWS:
- 19.5X12X4FT (WATER CAPACITY:22000 LITRES)
- 25X12X4FT (WATER CAPACITY: 28000 LITRES)
- ➤ 31X12X4FT (WATER CAPACITY: 36000 LITRES
- WATER FILTRATION PLANT WITH 25 MICRON FILTER FOR BEST QUALITY WATER.
- ❖ ENDLESS COUNTER CURRENT SWIMMING SYSTEM.
- ❖ HEATING & CHILLING CAPACITY FOR POOLS.
- HAND BAIL, JACQUZI JETS, ETC. ARE OPTIONAL ITEMS.





- ❖ THE RECTANGULAR POOLS HAVING LONG LENGTH THAN WIDTH.
- ❖ THREE INBUILT STEPS ARE AVAILABLE IN EVERY SWIMMING POOL.
- ❖ THE DEPTH OF ALL POOLS ARE SAME AND WIDTH OR LENGTH CAN BE ALTERED AS PER CUSTOMER REQUIREMENTS.
- ❖ THE SIZES OF STANDARD POOLS ARE AS FOLLOWS:
- 19.5X9.5X4FT (WATER CAPACITY:16000 LITRES)
- 25X9.5X4FT (WATER CAPACITY: 22000 LITRES)
- > 31X9.5X4FT (WATER CAPACITY: 28000 LITRES)
- THE SIZES OF POOLS WHICH HAVE CUSTOMISED WIDTHS ARE AS FOLLOWS:
- 19.5X12X4FT (WATER CAPACITY:22000 LITRES)
- 25X12X4FT (WATER CAPACITY: 28000 LITRES)
- 31X12X4FT (WATER CAPACITY: 36000 LITRES
- ❖ WATER FILTRATION PLANT WITH 25 MICRON FILTER FOR BEST QUALITY WATER.
- ❖ ENDLESS COUNTER CURRENT SWIMMING SYSTEM.
- ❖ HEATING & CHILLING CAPACITY FOR POOLS.
- HAND BAIL, JACQUZI JETS, ETC. ARE OPTIONAL ITEMS.





9. INFINITY EDGE SWIMMING POOLS (READY MADE)







 In India only Arrdevpools is the company which make infinity edge Readymade Swimming Pools.

10. ENDLESS SWIMMING POOLS

The convince of swimming in a small or limited space is provided by endless pools. There is a system of water flow from one side of pool against which one can swim, walk or jog with under water mill. This is the best system to workout or swim in small pool to any length, speed or duration


- Any ready made swimming pool can be converted in endless swimming pool with one machine called counter current machine.
- This propeller based counter current machine is used to throw the water form one side with controlled speed from 0-100% flow and swimmer can swim against current of water flow.





Three kinds of counter current system are available with us.

- 1. Propeller based Fan flow
- 2. Laminar flow
- 3. Jet flow V shaped



ENDLESS SWIMMING POOLS





INSTALLATION OF READY MADE SWIMMING POOLS

Inground Installation Steps



1. Manufacturing of pool in factory.



2. Transportation of swimming pool on Truck.



5. Filling water in pool and make deck area.



Preparation of Ground after excavation with PCC/RCC on the floor before placing the swimming pool.



4. Lifting of swimming pool and placing



6. Swimming pool is ready for use.

INSTALLATION OF READY MADE SWIMMING POOLS

Above Ground Installation Steps (Roof top or on roof installation the strength to be checked before placing the swimming pool)



1. Transportation of swimming pool via truck.



2. Placing the pool with the help of Crane at site.



Make Brick wall or Steel Frame around the swimming pool.



4. Make Pool deck in Wood or Steel.



Filling the swimming pool and cover it to protect the water from Heat, Cold and Dust.

VARIOUS TYPES OF FOUNTAINS OF SWIMMING POOLS









MUSHROOM FOUNTAIN

DOLPHIN FOUNTAIN/FISH FOUNTAIN

COBRA FOUNTAIN/WALL FOUNTAIN



















Arrdev International

Readymade Swimming Pool · Pipeless Filter · Prefab Pools · Aquatherapy Pools

www.arrdevpools.com www.wetfitaquagym.com www.theswimmingpool.in info@arrdevpools.com arrdevpools@yahoo.com arrdevpoolsmkt@gmail.com North India :8700605929/9625299466 West India:7738467070/7304066913 South India :9738594049/9884141423 Export & Dealership:+91 9810101913

https://youtube.com/@ArrdevPools instagram://arrdevpools_india

https://www.facebook.com/prefabpoolsindiaaquagymindiahydrotherapyindia



Head Office Noida: Arrdev House, SP-31, Sector-130, Noida-201304, UP.

South India Showroom: C-6,165,ECR food street, Injambakkam,Chennai-600115,TN.

Factory Unit: G-390-391, Phase-2, UPSIDC, M.G. Road, Ghaziabad 201008, UP.

Dealers

Manali, Chandigarh, Surat, Raipur, Mumbai Bangalore, Guwahati, Lucknow, Gwalior, Calcutta, Goa, Coimbatore, Mangalore, Udaipur, Nagpur, Kolhapur Indore, Varanasi, Aurangabad, Bhandavgarh, Pune etc